

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(duplicat\$3 near5 snoop\$3 near5 tag near5 partition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 11:57
L2	0	(duplicat\$3 with snoop\$3 with tag with partition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 11:58
L3	0	(duplicat\$3 same snoop\$3 same tag same partition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:01
L4	5704	711/146,140,147,119,173,202,217. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:01
L5	0	4 and (duplicat\$3 same snoop\$3 same tag same partition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:01
L6	2	((duplicat\$3) near5 (snoop\$3 near3 tag) same ((multi multipl\$5 several plural\$3) near3 (cache cpu processor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:02
L7	30	((duplicat\$3) near5 (tag) with ((multi multipl\$5 several plural\$3) near3 (cache cpu processor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:04
L8	7	(snoop near2 tag) same cache same (((cluster multi multipl\$5) near3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:04

EAST Search History

L9	271	((snoop tag) near5 partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:22
L10	29	L9 and (snoop tag) same ((snoop cache) near3 (index entry entries))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:22
L11	5	L10 and ((cluster ((multi multi\$5) near3 process\$3)) same (shar\$3 near5 (main adj memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:22
L12	5	L11 and (((multi\$5 multi) several plural\$3) near3 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:22
L13	0	((snoop tag) near5 partition) same (snoop adj tag) same ((snoop cache) near3 (index entry entries))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:23
L14	29	L9 and (snoop tag) same ((snoop cache) near3 (index entry entries))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:23
L15	6	(cluster ((multi multi\$5) near3 process\$3)) same (shar\$3 near5 (main adj memory)) same (((multi\$5 multi) several plural\$3) near3 cache) same controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:23

☐ [Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Thu, 22 Feb 2007, 12:52:43 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((duplicat*<in>metadata) <and> (tag<in>metadata))

#2 ((snoop*<in>metadata) <and> (tag<in>metadata))<and>
(partition*<in>metadata)

#3 ((duplicat*<in>metadata) <and> (snoop*<in>metadata))
<and> (tag<in>metadata)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved

☐ [Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Thu, 22 Feb 2007, 12:53:02 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((duplicat*<in>metadata) <and> (tag<in>metadata))
- #2 ((snoop*<in>metadata) <and> (tag<in>metadata))<and>
(partition*<in>metadata)
- #3 ((duplicat*<in>metadata) <and> (snoop*<in>metadata))
<and> (tag<in>metadata)
- #4 ((duplicat*<in>metadata) <and> (snoop*<in>metadata))
<and> (tag<in>metadata)
- #5 (duplicate <near/3> snoop* <near/5> tag <in>metadata)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved

☐ [Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Thu, 22 Feb 2007, 12:53:24 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((duplicat*<in>metadata) <and> (tag<in>metadata))
- #2 ((snoop*<in>metadata) <and> (tag<in>metadata))<and>
(partition*<in>metadata)
- #3 ((duplicat*<in>metadata) <and> (snoop*<in>metadata))
<and> (tag<in>metadata)
- #4 ((duplicat*<in>metadata) <and> (snoop*<in>metadata))
<and> (tag<in>metadata)
- #5 (duplicate <near/3> snoop* <near/5> tag <in>metadata)
- #6 (duplicate <near/3> snoop* <near/5> tag <in>metadata)
- #7 (duplicate <near/3> snoop* <near/5> tag <in>metadata)
- #8 (duplicate <near/3> snoop* <near/5> tag <in>metadata)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights